

CAEVI

06 06 2010

17 2012

06 06 2010

Hypericum perforatum

06 06 2010

06 06 2010

06 06 2010

06 06 2010

06 06 2010

06 06 2010

06 06 2010

06 06 2010

06 06 2010

06 06 2010

Salvia officinalis (Salvia officinalis) 1.5 - 2.5 g (1.5 - 2.5 g), 2-3 times a day, 30 minutes before meals. Contraindications: pregnancy, lactation, children under 12 years, epilepsy, bleeding disorders, use of anticoagulants, and use of oral contraceptives.

Salvia officinalis (Salvia officinalis) 1.5 - 2.5 g (1.5 - 2.5 g), 2-3 times a day, 30 minutes before meals. Contraindications: pregnancy, lactation, children under 12 years, epilepsy, bleeding disorders, use of anticoagulants, and use of oral contraceptives.

Salvia officinalis (Salvia officinalis) 1.5 - 2.5 g (1.5 - 2.5 g), 2-3 times a day, 30 minutes before meals. Contraindications: pregnancy, lactation, children under 12 years, epilepsy, bleeding disorders, use of anticoagulants, and use of oral contraceptives.

Salvia officinalis (Salvia officinalis) 1.5 - 2.5 g (1.5 - 2.5 g), 2-3 times a day, 30 minutes before meals. Contraindications: pregnancy, lactation, children under 12 years, epilepsy, bleeding disorders, use of anticoagulants, and use of oral contraceptives.

Salvia officinalis (Salvia officinalis) 1.5 - 2.5 g (1.5 - 2.5 g), 2-3 times a day, 30 minutes before meals. Contraindications: pregnancy, lactation, children under 12 years, epilepsy, bleeding disorders, use of anticoagulants, and use of oral contraceptives.

Salvia officinalis (Salvia officinalis) 1.5 - 2.5 g (1.5 - 2.5 g), 2-3 times a day, 30 minutes before meals. Contraindications: pregnancy, lactation, children under 12 years, epilepsy, bleeding disorders, use of anticoagulants, and use of oral contraceptives.

Salvia officinalis (Salvia officinalis) 1.5 - 2.5 g (1.5 - 2.5 g), 2-3 times a day, 30 minutes before meals. Contraindications: pregnancy, lactation, children under 12 years, epilepsy, bleeding disorders, use of anticoagulants, and use of oral contraceptives.

Salvia officinalis (Salvia officinalis) 1.5 - 2.5 g (1.5 - 2.5 g), 2-3 times a day, 30 minutes before meals. Contraindications: pregnancy, lactation, children under 12 years, epilepsy, bleeding disorders, use of anticoagulants, and use of oral contraceptives.

Salvia officinalis (Salvia officinalis) 1.5 - 2.5 g (1.5 - 2.5 g), 2-3 times a day, 30 minutes before meals. Contraindications: pregnancy, lactation, children under 12 years, epilepsy, bleeding disorders, use of anticoagulants, and use of oral contraceptives.

Salvia officinalis (Salvia officinalis) 1.5 - 2.5 g (1.5 - 2.5 g), 2-3 times a day, 30 minutes before meals. Contraindications: pregnancy, lactation, children under 12 years, epilepsy, bleeding disorders, use of anticoagulants, and use of oral contraceptives.

Salvia officinalis (Salvia officinalis) 1.5 - 2.5 g (1.5 - 2.5 g), 2-3 times a day, 30 minutes before meals. Contraindications: pregnancy, lactation, children under 12 years, epilepsy, bleeding disorders, use of anticoagulants, and use of oral contraceptives.

Salvia officinalis (Salvia officinalis) 1.5 - 2.5 g (1.5 - 2.5 g), 2-3 times a day, 30 minutes before meals. Contraindications: pregnancy, lactation, children under 12 years, epilepsy, bleeding disorders, use of anticoagulants, and use of oral contraceptives.

Ɔ°Ɔ¼ Ń...ŃƆƆ°Ɔ½Ɔ°Ń,Ɔ° Ɔ, Ɔ ħ Ɔ,Ń°Ɔ°Ɔ»Ɔ¼Ń†Ɔ,Ń,Ɔµ Ń•Ɔµ Ɔ°Ɔ¼ŃƆƆ,Ń•Ń,Ɔ, Ɔ ħ Ɔ¼ŃƆƆ°Ɔ Ɔ, Ɔ¼Ɔ,ŃƆƆ,Ń•Ɔ¼Ń,, Ɔ²Ɔ°Ń Ɔ³Ɔ¼ Ɔ ħ Ɔ¼Ɔ Ɔ³ƆƆ±ŃƆŃƆƆ°Ɔ Ɔ¼Ɔ,ŃƆƆ,Ń•Ɔ¼Ń,, Ɔ²Ɔ°ŃƆŃ•Ɔ¼Ń, Ɔ, Ɔ,Ɔ•Ɔ³Ɔ»ƆµƆ Ɔ¼Ń, Ɔ½Ɔ° Ɔ¼Ɔ½Ɔ¼Ɔ³ŃƆ Ɔ¼ƆµŃŃ•Ń†Ɔ°ƆµƆ²Ɔ.

ƆšƆ°Ɔ°Ɔ¼ Ń,ŃƆƆ½Ɔ°Ń†Ɔ,Ɔ¼Ɔ½Ɔ,ŃƆƆ°?

Ɔ°ƆµƆ°Ɔ¼Ɔ²Ɔ,Ń,Ɔ,Ń,Ɔµ Ń•Ɔ²Ɔ¼ŃŃ•Ń,Ɔ²Ɔ° Ɔ½Ɔ° Ń...Ɔ,Ɔ±Ɔ,Ń•Ɔ°ŃƆŃ•Ɔ¼Ń, Ɔ ħ Ɔ¼Ń,ƆµƆ°Ɔ½ƆŃƆƆ°Ɔ°Ń, Ɔ¼Ɔ´ ƆµƆ½Ɔ. ƆµŃ,ƆµŃƆƆ,Ń†Ɔ½Ɔ,Ń,Ɔµ Ɔ¼Ɔ°Ń•Ɔ»Ɔ°, Ɔ²Ɔ,Ń,Ɔ°Ɔ¼Ɔ,Ɔ½Ɔ¼Ń, Ɔ! Ɔ, Ń,,Ɔ»Ɔ°Ɔ²Ɔ¼Ɔ½Ɔ¼Ɔ,Ɔ´Ɔ¼Ń,, Ɔ ħ Ɔ° Ń,Ɔ¼ŃŃ Ɔ ħ Ɔ¼Ń•Ń,Ɔ°Ɔ½Ɔ°Ń,Ɔ,Ń,Ɔµ, Ɔ´ƆµƆ»ŃƆƆ°Ɔ Ɔ, Ɔ°Ɔ°Ɔ°Ɔ¼ Ɔ°Ɔ½Ń,Ɔ,Ɔ¼Ɔ°Ń•Ɔ,Ɔ´Ɔ°Ɔ½Ń•.

ƆžƆ²Ɔ¼Ń°Ɔ½Ɔ,Ń,Ɔµ Ɔ°Ɔ,Ń•ƆµƆ»Ɔ,Ɔ½Ɔ, Ɔ²Ɔ¼ Ń...Ɔ,Ɔ±Ɔ,Ń•Ɔ°ŃƆŃ•Ɔ¼Ń,, Ɔ¼Ɔ¼ƆƆƆ°Ń, Ɔ´Ɔ° Ɔ´ƆµƆ»ŃƆƆ°Ɔ°Ń, Ɔ°Ɔ°Ɔ»Ɔ°Ɔ°Ń•Ɔ°Ń,Ɔ,Ɔ². Ɔ•ƆµƆ°Ɔ¼Ɔ, Ɔ½Ɔ°ŃƆŃ†Ɔ½Ɔ,Ń†Ɔ, Ń•Ɔ¼ƆµŃ,Ɔ°Ɔ° Ɔ´ƆµƆ°Ɔ° Ɔ´ŃƆŃƆƆ°Ń,Ɔµ Ń•Ɔ¼Ń•Ń,Ɔ¼ŃŃ°Ɔ, Ɔ½Ɔ° Ń...Ɔ,Ɔ±Ɔ,Ń•Ɔ°ŃƆŃ•Ɔ¼Ń, Ɔ´ƆµƆ»ŃƆƆ°Ɔ°Ń, Ɔ½Ɔ° Ɔ¼Ɔ°Ɔ¼Ɔ°Ɔ»ŃƆƆ°Ɔ°Ń, Ɔ½Ɔ° Ɔ¼Ɔ°Ɔ¼Ɔ°Ɔ°Ɔ¼Ń,, Ń†ŃƆƆµƆ²Ɔ°Ń,Ɔ° Ɔ, Ɔ¼Ɔ°Ń,Ɔ°Ɔ°Ń,Ɔ° Ɔ°Ɔ°Ɔ°Ɔ¼ Ɔ, Ɔ´ƆµƆ°Ɔ° Ɔ¼Ɔ¼ƆƆƆ°Ń, Ɔ´Ɔ° Ɔ´ƆµƆ»ŃƆƆ°Ɔ°Ń, Ɔ°Ɔ°Ɔ°Ɔ¼ Ɔ°Ɔ½Ń,Ɔ,Ɔ±Ɔ,Ɔ¼Ń,Ɔ,Ɔ°, Ɔ ħ ƆƆƆ¼Ń,Ɔ,Ɔ² Ɔ±Ɔ°Ɔ°Ń,ƆµŃƆƆ,Ɔ, Ɔ, Ɔ³Ɔ»Ɔ,Ń•Ń,Ɔ.

ƆŁƆ ħ Ɔ¼Ń,ŃƆƆµƆ±Ɔ° Ɔ, Ɔ»ƆµƆ°Ɔ¼Ɔ²Ɔ,Ń,Ɔ¼ Ɔ´ƆµŃŃ•Ń,Ɔ²Ɔ¼ Ɔ½Ɔ° Ń...Ɔ,Ɔ±Ɔ,Ń•Ɔ°ŃƆŃ•Ɔ¼Ń,

ƆŸƆ¼Ń•Ń,Ɔ¼ŃŃ°Ń, Ɔ½ƆµƆ´ƆµƆ²Ɔ¼Ɔ»ƆµƆ½ Ɔ±ŃƆƆ¼ŃŃ Ɔ´Ɔ¼Ɔ°Ɔ°Ɔ,Ɔ, Ɔ´ƆµƆ°Ɔ° Ń...Ɔ,Ɔ±Ɔ,Ń•Ɔ°ŃƆŃ•Ɔ¼Ń, Ɔ ħ Ɔ¼Ɔ¼Ɔ¼Ɔ ħ ƆŃƆƆ¼Ɔ±Ɔ»ƆµƆ¼Ɔ, Ń•Ɔ¼ Ɔ•Ɔ³Ɔ»ƆµƆ¼ƆµƆ½Ɔ¼Ń,Ɔ¼ Ɔ½Ɔ,Ɔ²Ɔ¼ Ɔ½Ɔ° Ń...Ɔ¼Ɔ»ƆµŃ•Ń,ƆµŃƆƆ¼Ɔ». Ɔ•Ɔ´Ɔ½Ɔ° Ɔ ħ Ɔ¼Ń•Ń,Ɔ°ŃƆƆ° Ń•Ń,ŃƆƆ´Ɔ Ɔ ħ Ɔ¼Ɔ°Ɔ°ƆƆ°Ɔ»Ɔ° Ɔ´ƆµƆ°Ɔ° ƆµƆ´ƆµƆ½ Ɔ³ŃƆƆ°Ɔ¼ ƆµƆ°Ń•Ń,ŃƆƆ°Ɔ°Ń, Ɔ³Ɔ´ Ɔ»Ɔ,Ń•Ń,Ɔ¼Ɔ²Ɔ,Ń,Ɔµ Ɔ½Ɔ° Ń...Ɔ,Ɔ±Ɔ,Ń•Ɔ°ŃƆŃ•Ɔ¼Ń,, Ɔ ħ Ɔ¼Ɔ²Ɔ¼Ɔ»Ɔ½Ɔ¼ Ɔ´ƆµƆ Ɔ½Ɔ,Ɔ²Ɔ¼Ń,Ɔ¼ Ɔ½Ɔ° Ń...Ɔ¼Ɔ»ƆµŃ•Ń,ƆµŃƆƆ¼Ɔ»Ɔ¼Ń, Ɔ²Ɔ¼ Ɔ½Ɔ°Ń´Ɔ,Ɔ¼Ń, Ɔ¼ŃƆƆ°Ɔ°Ɔ½Ɔ,Ɔ•Ɔ°Ɔ¼.

ƆŃ•Ń,ŃƆƆ°ƆŃƆƆ°ƆŃšƆ°Ń,Ɔ° Ɔ ħ Ɔ¼Ɔ°Ɔ°ƆƆ°Ɔ»Ɔµ Ɔ´ƆµƆ°Ɔ° Ɔ»ŃƆŃ´ƆµŃ,Ɔ¼ Ń•Ɔ¼ Ɔ±Ɔ»Ɔ°Ɔ³Ɔ¼ Ɔ•Ɔ³Ɔ»ƆµƆ¼Ɔµ Ɔ°ŃƆƆ²ƆµƆ½ Ɔ ħ ƆŃƆ,Ń,Ɔ,Ń•Ɔ¼Ɔ°, Ɔ°Ɔ¼Ɔ, Ń,ŃƆƆ, Ɔ ħ Ɔ°Ń,Ɔ, Ɔ´Ɔ½ƆµƆ²Ɔ¼Ɔ Ɔ ħ Ɔ,ŃŃ°Ń, Ɔ¼ƆŃƆƆµƆ´ƆµƆ½Ɔ° Ɔ²ŃƆŃ•Ń,Ɔ° Ń†Ɔ°ŃŃ Ɔ¼Ɔ´ Ń...Ɔ,Ɔ±Ɔ,Ń•Ɔ°ŃƆŃ•Ɔ¼Ń,Ɔ ħ Ɔ¼Ɔ½Ɔ,Ɔ•Ɔ°Ɔ° Ɔ°ŃƆƆµƆ½ Ɔ ħ ƆŃƆ,Ń,Ɔ,Ń•Ɔ¼Ɔ°. ƆžƆ²Ɔ° Ɔ,Ń•Ń,ŃƆƆ°ƆŃƆƆ°ƆŃšƆµ Ɔ²ƆµŃ,ŃƆƆ°Ɔ, Ɔ½Ɔ¼ Ɔ½Ɔµ Ɔµ Ɔ½ƆµŃ•Ɔ,Ɔ³ŃƆŃ Ɔ ħ Ɔ¼Ń,Ɔ ħ Ɔ,ŃƆƆ°Ń,Ɔµ Ɔ½Ɔ° Ń†Ɔ°ŃŃ¼Ń, Ɔ¼Ɔ´ Ń...Ɔ,Ɔ±Ɔ,Ń•Ɔ°ŃƆŃ•Ɔ°Ɔ Ɔ»ƆµŃ†ƆµŃšƆµ Ɔ½Ɔ° Ɔ•Ɔ³Ɔ»ƆµƆ¼ƆµƆ Ɔ ħ ƆŃƆ,Ń,Ɔ,Ń•Ɔ¼Ɔ°.

Ɔ ħ Ɔµ Ɔ ħ Ɔ¼Ɔ°Ɔ°ƆƆ°Ɔ»Ɔ¼ Ɔ´ƆµƆ°Ɔ° Ń...Ɔ,Ɔ±Ɔ,Ń•Ɔ°ŃƆŃ•Ɔ¼Ń, Ɔ ħ Ɔ¼Ɔ²Ɔ¼Ɔ»Ɔ½Ɔ¼ Ɔ´ƆµƆ»ŃƆƆ°Ɔ° Ɔ°Ɔ¼Ɔ³Ɔ° Ń•Ɔµ Ɔ ħ ƆŃƆ°ŃŃ°ŃšƆµ Ń•Ɔ»ƆµƆ´Ɔ½Ɔ,Ɔ²Ɔµ Ɔ ħ ƆŃƆ¼Ɔ±Ɔ»ƆµƆ¼Ɔ:

ƆŃŃƆ±ƆµŃšƆµ Ɔ½Ɔ° Ɔ°Ɔ ħ ƆµŃ,Ɔ,Ń,Ɔ¼Ń,

Ɔ•Ɔ°Ń•Ń,Ɔ,Ɔ½Ɔ°Ɔ°, Ɔ°Ɔ°Ń´Ɔ»Ɔ°ŃšƆµ, Ɔ²Ɔ¼Ń•Ɔ ħ Ɔ°Ɔ»ƆµƆ½Ɔ,Ɔµ Ɔ½Ɔ° Ɔ³ŃƆƆ»Ɔ¼Ń,Ɔ¼

ƆšƆ¼Ɔ½ƆŃ•Ń,Ɔ,Ɔ ħ Ɔ°Ń†Ɔ,ŃŃ°

Ɔ ħ,Ɔ¼Ɔ¼Ɔ°Ń†Ɔ½Ɔ, Ɔ ħ ƆŃƆ¼Ɔ±Ɔ»ƆµƆ¼Ɔ,

Ɔ—Ɔ°Ɔ´ŃƆƆŃƆƆ°ƆŃšƆµ Ɔ½Ɔ° Ń,ƆµŃ†Ɔ½Ɔ¼Ń•Ń,Ɔ,Ń,Ɔµ

Ɔ ħ ƆŃ†ƆµƆ²Ɔ, Ɔ•Ɔ°Ɔ±Ɔ¼Ɔ»ŃƆƆ°ƆŃšƆ°

ƆŸƆ°Ɔ´ Ɔ½Ɔ° Ɔ,Ɔ¼ŃŃƆ½Ɔ,Ń,ƆµŃ,Ɔ¼Ń,

Ɔ•ƆµŃƆƆ²Ɔ½Ɔ, Ɔ½Ɔ°ŃƆŃƆŃŃŃƆƆ°ƆŃšƆ°

